


Data Sheet No. **\$\$275-1-1/2** 

Date: May 2004

Supersedes: January 2003

Equipment Needed to Plug a 1-1/2" Gas Main to 285 psi





Fittings


### Tapping and SHORTSTOPP® Plugging Machine

1-1/2" Gas Main to 275 psi



■ Note: Consult your TDW representative for additional fitting options.

### **Completion**






Data Sheet No. **\$\$275-2** 

Date: January 2003 Supersedes: March 1999

Equipment Needed to Plug a 2" Gas Main to 285 psi





Fittings

### Tapping and SHORTSTOPP® Plugging Machine

2" Gas Main to 285 psi




### **Completion** SHORTSTOPP® Plugging/ Completion Machine Stock No. 07-1034-0000 Reference Bulletin 2020.002 0 2" Housing 08-1746-0000 Completion Plug Holder 07-0974-0000



Data Sheet No. \$\$275-3

Date: January 2003 Supersedes: March 1999

Equipment Needed to Plug a 3" Gas Main to 285 psi





Fittings

### Tapping and SHORTSTOPP® Plugging Machine

3" Gas Main to 285 psi




### **Completion** SHORTSTOPP® Plugging/ Completion Machine Stock No. 07-1034-0000 Reference Bulletin 2020.002 0 3" Housing 08-1747-0000 Completion Plug Holder 07-0974-0000



Data Sheet No. **\$\$275-4**Date: September 2004
Supersedes: January 2003

Equipment Needed to Plug a 4" Gas Main to 285 psi Using Completion Machine







**Fittings** 

### Tapping and SHORTSTOPP® Plugging Machine

4" Gas Main to 285 psi






- Note 1: 4-inch Spool Adapter required to set 4-inch SHORTPLUG™ with Guide Bars in all SHORTSTOPP Type II fittings using the 06-1542-0000 T-203 Tapping Adapter.
- Note 2: 4-inch Spool Adapter required to set 4-inch SHORTPLUG<sup>TM</sup> with Guide Bars in SHORTSTOPP Type II 3-Way<sup>TM</sup> Tee fittings using the 08-1748-0000 4-inch Housing.



Data Sheet No. **SS275-4A**Date: September 2004
Supersedes: January 2003

Equipment Needed to Plug a 4" Gas Main to 285 psi





Data Sheet No. SS275-4A

**Fittings** 

### Tapping and SHORTSTOPP® Plugging Machine

#### 4" Gas Main to 285 psi



■ Note: Consult your TDW representative for additional fitting options.

See Bulletin 2110.001

#### **Completion** SHORTSTOPP® Plugging/ Completion Machine Stock No. 07-1034-0000 Reference Bulletin 2020.002.00 Optional\* Adapter **Adapter** 06-7265-0000 06-7264-0000 T-203 Tapping and SHORTSTOPP® Completion Housing 06-1542-0000 **Plugging Housing** 08-0941-0000 4" Spool Adapter 06-1165-0176 4" Spool Adapter 06-1165-0176 (Note 2) (Note 1) **Completion Plug Holder Completion Plug Holder** 07-0334-0000

■ Note 1: 4-inch Spool Adapter required to set 4-inch SHORTPLUG™ with Guide Bars in SHORTSTOPP 3-Way™ Tee Type II fittings using the 08-0941-0000 Housing.

07-0334-0000


■ Note 2: 4-inch Spool Adapter required to set 4-inch SHORTPLUG™ with Guide Bars in all SHORTSTOPP Type II fittings using the 06-1542-0000 Adapter

# **Tapping and SHORTSTOPP® Plugging Machine** *Equipment Needed to Plug a 6" Gas Main to 285 psi*



Data Sheet No. **\$\$275-6** 


Date: 11.2023 Supersedes: 12.2018






### Tapping and SHORTSTOPP® Plugging Machine

#### 6" Gas Main to 285 psi





- Note 1: 6-inch Spool Adapter required to set 6-inch SHORTPLUG<sup>™</sup> with Guide Bars in SHORTSTOPP Type II 3-Way<sup>™</sup> Tee and Spherical fittings using the 06-1543-0000 Adapter.
- Note 2: 6-inch Spool Adapter required to set 6-inch SHORTPLUG<sup>TM</sup> with Guide Bars in SHORTSTOPP Type II 3-Way<sup>TM</sup> Tee fittings using the 08-0942-0000 Housing. Also must use the 07-1586-0000 Completion Machine with 48-inch travel.
- Note 3: The 07-1586-0000 Completion Machine with 48" travel is required to set 6" SHORTPLUG™ with Guide Bars in SHORTSTOPP Type II fittings using the 08-0942-0000 Adapter.

■ Note: Consult your TDW representative for additional fitting options.


See Bulletin 2110.001

# **Tapping and SHORTSTOPP® Plugging Machine** *Equipment Needed to Plug a 8" Gas Main to 285 psi*



Data Sheet No. \$\$275-8


Date: 12.2018 Supersedes: 09.2004






### Tapping and SHORTSTOPP® Plugging Machine

#### 8" Gas Main to 285 psi



### **Completion**



■ Note 1: 8-inch Spool Adapter required to set 8-inch SHORTPLUG™ with Guide Bars in SHORTSTOPP Type II 3-Way™ Tee fittings using the 06-1544-0000 Adapter.

■ Note: Consult your TDW representative for additional fitting options.


■ Mechanical SHORTSLEEVE™ Fitting See Bulletin 2110.001

# **Tapping and SHORTSTOPP® Plugging Machine** *Equipment Needed to Plug a 10" Gas Main to 285 psi*



Data Sheet No. \$\$275-10

Date: 12.2018 Supersedes: 09.2004






### Tapping and SHORTSTOPP® Plugging Machine

### 10" Gas Main to 285 psi





■ Note 1: 12-inch Spool Adapter required to set 10-inch SHORTPLUG™ with Guide Bars in SHORTSTOPP Type II 3-Way™ Tee fittings using the 06-1546-0000 Adapter and 07-1586-0000 Completion Machine

Note 2: The 07-1586-0000 Completion Machine with 48" travel is required to set 10" SHORTPLUG™ with Guide Bars in SHORTSTOPP Type II 3-Way™ Tee fittings using the 06-1546-0000 Adapter.

■ Note: Consult your TDW representative for additional fitting options.


See Bulletin 2110.001

# **Tapping and SHORTSTOPP® Plugging Machine** *Equipment Needed to Plug a 12" Gas Main to 285 psi*



Data Sheet No. \$\$275-12

Date: 12.2018 Supersedes: 09.2004






### Tapping and SHORTSTOPP® Plugging Machine

### 12" Gas Main to 285 psi





■ Note 1: 12-inch Spool Adapter required to set 12-inch SHORTPLUG<sup>TM</sup> with Guide Bars in SHORTSTOPP Type II 3-Way<sup>TM</sup> Tee fittings using the 06-1546-0000 Adapter and 07-1586-0000 Completion Machine

Note 2: The 07-1586-0000 Completion Machine with 48" travel is required to set 12" SHORTPLUG™ with Guide Bars in SHORTSTOPP Type II 3-Way™ Tee fittings using the 06-1546-0000 Adapter.

■ Note: Consult your TDW representative for additional fitting options.

See Bulletin 2110.001